



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product identifier	Rislone® Ring Seal Smoke Repair
Product Number	44416
Product Use	
Trade name	Rislone® Ring Seal Smoke Repair
Manufacturer Information (USA)	
Company Identification	Rislone
USA Telephone	(810) 603-1321
USA Address	P. O. Box 187, Holly, MI 48442 USA
Emergency telephone number	ChemTel Inc.
Emergency Phone No.	(800) 255-3924 (US/Canada), (813) 248-0585 (Intl.)
Distributor Information (Australia / New Zealand)	
Company Identification	Smits Group Pty Ltd.
AUS / NZ Address	59 Greenmount Dr, East Tamaki, Auckland, New Zealand
	Smits Group PTY
	C/- 1049 Beaudesert Road Coopers Plains
	QLD 4108
AUS Telephone	1800883 888
NZ Telephone	0800 227 422
Emergencies within Australia	(02) 131126 (NSW Poison Control Centre)
Emergencies within New Zealand	0800 764 766 (National Poison Control Centre)
E-Mail (competent person)	info@barsproducts.com

Section 2. Hazards Identification

Australia NOHSC – Not hazardous according to Worksafe Australia NOHSC 2011 National Code of Practice

New Zealand:

This substance is not hazardous according to the *HSNO (Minimum Degrees of Hazard) Regulations 2001*

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Hydrotreated Paraffin Base Oil	85 - 100	64742-58-1
Non-hazardous ingredients	1-15	

Section 4. First Aid Measures

Routes of Exposure:

Inhalation	Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult. If symptoms develop, obtain medical attention.
Skin Contact	Remove contaminated clothing immediately and drench affected skin with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention if irritation persists.

Ingestion Do not induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

Section 5. Fire Fighting Measures

Extinguishing media Combustible liquid. Will float and can be reignited on surface water. Extinguish preferably with foam, carbon dioxide or dry chemical.

Unsuitable Extinguishing Media Do not use water jet.

Fire Fighting Protective Equipment A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Hazchem Code: Not allocated

Section 6. Accidental Release Measures

Personal Precautions Ensure full personal protection (including respiratory protection) during removal of spillages.

Environmental Exposure Controls Cover with absorbent or contain. Collect and dispose.

Other Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

Section 7. Handling and Storage

Handling Avoid contact with eyes. Avoid ingestion. Avoid inhalation of high concentrations of vapours.

Storage Keep container tightly closed. Keep away from: Oxidizing agents.

Storage Temperature: Ambient. Avoid contact with heat and ignition sources.

Storage Life: Stable at ambient temperatures.

Specific use: Not applicable.

Section 8 Exposure Controls / Personal Protection

Respirators	Not normally required. Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.
Eye Protection	Wear protective eyewear (goggles, face shield, or safety glasses).
Gloves	Wear suitable gloves if prolonged skin contact is likely.
Body protection	Not normally required.
Engineering Controls	Not normally required.
Other	Remove contaminated, saturated clothing immediately. Contaminated clothing should be thoroughly cleaned.

SUBSTANCE.	ACGIH	OSHA	Note:
Hydrotreated Paraffin Oil	5 mg/m ³ TWA	5 mg/m ³ TWA	TWA as Oil Mists

Section 9 Physical and Chemical Properties

Physical State: Liquid

Colour: Yellowish

Odour: Slight Petroleum

pH: Not Available

Solubility (water): Insoluble

Boiling point: Not available

Freezing Point: Not available

Flash point >180°C

Density (g/ml)	0.85 – 0.87
Vapour Density (Air = 1):	>1
Evaporation rate	Less than butyl acetate

Section 10. Stability and Reactivity

Reactivity	Slight
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Can react violently if in contact with - Oxidizing agents.
Conditions to avoid	Avoid contact with heat and ignition sources and oxidizers.
Incompatible materials	Oxidizing agents..
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide,

Section 11 Toxicological Information

Hydrotreated Paraffin Oil = LD50 (oral) = 5000mg/kg

Acute toxicity	Low oral toxicity, but ingestion may cause irritation of the gastrointestinal tract.
Irritation	May cause eye & skin irritation in some individuals
Corrosivity	None expected.
Sensitisation	None expected.

Potential Health Effects

Inhalation	Avoid inhalation of high concentrations of mists.
Ingestion	Low oral toxicity, but ingestion may cause irritation of the gastrointestinal tract.

Section 12. Ecotoxicological Information

Toxicity	No data.
Persistence and degradability	Persistent.
Bioaccumulative potential	The product has high potential for bioaccumulation.
Mobility in soil	The product has low mobility in soil.
Other adverse effects	May cause long-term adverse effects in the aquatic environment.

Section 13. Disposal Considerations

Triple rinse containers before disposal. Spilled material, unused contents and empty containers must be disposed of in accordance with local regulations. This product does not require any special disposal or handling.

Section 14 Transport Information

Not a Dangerous Good for road and rail transport under Australian Dangerous Goods Code / NOHSC 2011 National Code of Practice

Not a Dangerous Good for road and rail transport in New Zealand according to NZS 5433: 2007

IMO / IMDG (Ocean) Hazard Class Division Number: 1993 (c)
ICAO / IATA (Air) Hazard Class Division Number: 1993 (c)(d)

Section 15 Regulatory Information

Australia: Not hazardous under Worksafe Australia NOHSC: 1008 (2004)

For New Zealand: Not hazardous under HSNO (Minimum degrees of hazard) Regulations 2001

HSNO Control & Classes:

Trigger quantities for this substance:

	Trigger Quantity
Approved Handler	Not Required
Location Certificate	Not Required
Tracking Trigger Quantities	Not applicable
Signage Trigger Quantities	Not applicable
Emergency Response Plan trigger Quantities	Not applicable

Section 16 Other Information

This product has been reviewed under GHS criteria

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.
Disclaimer

This document has been compiled by TCC on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made.

If further information is required please contact: The Australia and New Zealand distributor, Smits Group Pty Ltd

Issue Date: 11 April 2012 Date Reviewed: 10 March 2017